

Telepsychiatry: Ready to consider a different kind of practice?



Practitioners, patients, and payers are racing to keep up with a rapidly evolving tool

Too few psychiatrists. A growing number of patients. A new federal law, technological advances, and a generational shift in the way people communicate. Add them together and you have the perfect environment for telepsychiatry—the remote practice of psychiatry by means of telemedicine—to take root (*Box 1*). Although telepsychiatry has, in various forms, been around since the 1950s,¹ only recently has it expanded into almost all areas of psychiatric practice.

Here are some observations from my daily work on why I see this method of delivering mental health care is poised to expand in 2015 and beyond. Does telepsychiatry make sense for you?

Rebecca A. Kornbluh, MD, MPH

Assistant Medical Director for Program Improvement and Telepsychiatry
California Department of State Hospitals
Sacramento, California

Lack of supply is a big driver

There are simply not enough psychiatrists where they are needed, which is the primary driver of the expansion of telepsychiatry. With 77% of counties in the United States reporting a shortage of psychiatrists² and the “graying” of the psychiatric workforce,³ a more efficient way to make use of a psychiatrist’s time is needed. Telepsychiatry eliminates travel time and allows psychiatrists to visit distant sites virtually.

The shortage of psychiatric practitioners that we see today is only going to become worse. The Patient Protection and Affordable Care Act of 2010 includes mental health care and substance abuse treatment among its 10 essential benefits; just as important, new rules arising from the Mental Health

Disclosure

Dr. Kornbluh reports no financial relationships with any company whose products are mentioned in this article or with manufacturers of competing products.



Telepsychiatry

Clinical Point

Problems with licensure, credentialing, privacy, security, and professional liability continue to be of concern in telepsychiatry

Box 2

Particular therapeutic benefit for young patients?

Yes, write the authors of a descriptive review and case studies of child and adolescent telepsychiatry in *Telemedicine Journal and e-Health*: “There is evidence that telepsychiatry is diagnostically valid, and that there is high patient and provider satisfaction.”

Going a step further, the authors raise the possibility that telepsychiatry under the right circumstances trumps in-person care: “There is a valid case for arguing that in certain children and adolescents, telepsychiatry, as a consultation process, might actually be a superior method of psychiatric assessment to face-to-face consultation. Four factors stand out supporting this view. These are the novelty of the consultation, the capacity to provide direction, the extra distance involved (both psychological and physical), and the authenticity of the interaction.”

Source: Reference 9

fully. The most obvious risk is to privacy. Telepsychiatry visits, like all patient encounters, must be secure and confidential. Given the growing suspicion among the public and professionals who use computers that all data are at risk, clinicians must take appropriate cautions and, at the same time, warn patients of the risks. Readily available videoconferencing software, such as Skype, does not provide the level of security that patients expect from health care providers.¹⁴

Other common concerns about telepsychiatry are stable access to videoconferencing and the safety from hackers of necessary hardware. Medical device companies have created hardware and software for use in telepsychiatry that provide a Health Insurance Portability and Accountability Act-compliant high-quality, stable, videoconferencing visit.

Do patients benefit?

Clinically, patients have fared well when they receive care through telepsychiatry. In some studies, however, clinicians have expressed some dissatisfaction with the technology¹³—understandable, given the value that psychiatry traditionally has put on sitting with the

patient. As Knoedler¹⁵ described it, making the switch to telepsychiatry from in-person contact can engender loneliness in some physicians; not only is patient contact shifted to videoconferencing, but the psychiatrist loses the supportive environment of a busy clinical practice. Knoedler also pointed out that, on the other hand, telepsychiatry offers practitioners the opportunity to evaluate and treat people who otherwise would not have mental health care.

Obstacles—practical, knotty ones

Reimbursement and licensing. These are 2 pressing problems of telepsychiatry, although recent policy developments will help expand telepsychiatry and make it more appealing to physicians:

- Medicare reimburses for telepsychiatry in non-metropolitan areas.
- In 41 states, Medicaid has included telepsychiatry as a benefit.¹⁶
- Nine states offer a specific medical license for practicing telepsychiatry¹⁷ (in the remaining states, a full medical license must be obtained before one can provide telemedicine services).
- The Joint Commission has included language in its regulations that could expedite privileging of telepsychiatrists.¹⁸

Even with such advancements, problems with licensure, credentialing, privacy, security, confidentiality, informed consent, and professional liability remain.¹⁹ I urge you to do your research on these key areas before plunging in.

Changes to models of care. The risk that telepsychiatry poses to various models of care has to be considered. Telepsychiatry is a dramatic innovation, but it should be used to support only high-quality, evidence-based care to which patients are entitled.²⁰ With new technology—as with new medications—use must be carefully monitored and scrutinized.

Although evidence of the value of telepsychiatry is growing, many methods of long-distance practice are still in their infancy. Data must be collected and poor outcomes assessed honestly to ensure that the “more-good-than-harm” mandate is met.



Telepsychiatry

Clinical Point

Telepsychiatry allows physicians to choose where they live and work, and limits the number of their unreimbursed commutes

Related Resources

- American Telemedicine Association. Practice guidelines for video-based online mental health services. <http://www.americantelemed.org/docs/default-source/standards/practice-guidelines-for-video-based-online-mental-health-services.pdf?sfvrsn=6>. Published May 2013. Accessed February 10, 2015.
- Freudenberg N, Yellowlees PM. Telepsychiatry as part of a comprehensive care plan. *Virtual Mentor*. 2014;16(12):964-968.
- Kornbluh R. Telepsychiatry is a tool that we must exploit. *Clinical Psychiatry News*. August 7, 2014. <http://www.clinicalpsychiatrynews.com/home/article/telepsychiatry-is-a-tool-that-we-must-exploit/28c87bec298e0aa208309fa9bc48dedc.html>.
- University of Colorado Denver. Telemental Health Guide. <http://www.tmhguide.org>.

Good reasons to call this shift 'inevitable'

The future of telepsychiatry includes expansion into new areas of practice. The move to providing services to patients *where they happen to be*—at work or home—seems inevitable:

- In rural areas, practitioners can communicate with patients so that they are cared for in their homes, without the expense of transportation.
- Employers can invest in workplace health clinics that use telemedicine services to reduce absenteeism.
- For psychiatrists, the ability to provide services to patients across a wide region, from a single convenient location, and at lower cost is an attractive prospect.

To conclude: telepsychiatry holds potential to provide greater reimbursement and improved quality of life for psychiatrists *and* patients: It allows physicians to choose where they live and work, and limits the number of unreimbursed commutes, and gives patients access to psychiatric care locally, without disruptive travel and delays.

Bottom Line

The exchange of medical information from 1 site to another by means of electronic communication has great potential to improve the health of patients and to alleviate the shortage of psychiatric practitioners across regions and settings. Pediatric, geriatric, and correctional psychiatry stand to benefit because of the nature of the patients and locations.

References

1. Shore JH. Telepsychiatry: videoconferencing in the delivery of psychiatric care. *Am J Psychiatry*. 2013;170(3):256-262.
2. Konrad TR, Ellis AR, Thomas KC, et al. County-level estimates of need for mental health professionals in the United States. *Psychiatr Serv*. 2009;60(10):1307-1314.
3. Vernon DJ, Salsberg E, Erikson C, et al. Planning the future mental health workforce: with progress on coverage, what role will psychiatrists play? *Acad Psychiatry*. 2009;33(3):187-192.
4. Carms A. Understanding new rules that widen mental health coverage. *The New York Times*. <http://www.nytimes.com/2014/01/10/your-money/understanding-new-rules-that-widen-mental-health-coverage.html>. Published January 9, 2014. Accessed February 10, 2015.
5. Myers KM, Valentine JM, Melzer SM. Feasibility, acceptability, and sustainability of telepsychiatry for children and adolescents. *Psychiatr Serv*. 2007;58(11):1493-1496.
6. Nelson EL, Barnard M, Cain S. Treating childhood depression over videoconferencing. *Telemed J E Health*. 2003;9(1):49-55.
7. Boydell KM, Hodgins M, Pignatiello A, et al. Using technology to deliver mental health services to children and youth: a scoping review. *J Can Acad Child Adolesc Psychiatry*. 2014;23(2):87-99.
8. Pakyurek M, Yellowlees P, Hilty D. The child and adolescent telepsychiatry consultation: can it be a more effective clinical process for certain patients than conventional practice? *Telemed J E Health*. 2010;16(3):289-292.
9. Poon P, Hui E, Dai D, et al. Cognitive intervention for community-dwelling older persons with memory problems: telemedicine versus face-to-face treatment. *Int J Geriatr Psychiatry*. 2005;20(3):285-286.
10. Rabinowitz T, Murphy KM, Amour JL, et al. Benefits of a telepsychiatry consultation service for rural nursing home residents. *Telemed J E Health*. 2010;16(1):34-40.
11. Deslich SA, Thistlethwaite T, Coustasse A. Telepsychiatry in correctional facilities: using technology to improve access and decrease costs of mental health care in underserved populations. *Perm J*. 2013;17(3):80-86.
12. James DJ, Glaze LE. Mental health problems of prison and jail inmates. U.S. Department of Justice, Office of Justice Programs. <http://www.bjs.gov/content/pub/pdf/mhppji.pdf>. Updated December 14, 2006. Accessed February 10, 2015.
13. Hilty DN, Ferrer DC, Parish MB, et al. The effectiveness of telemental health: a 2013 review. *Telemed J E Health*. 2013;19(6):444-454.
14. Maheu MM, Mcmenamin J. Telepsychiatry: the perils of using skype. *Psychiatric Times*. <http://www.psychiatristimes.com/blog/telepsychiatry-perils-using-skype>. Published March 28, 2013. Accessed February 10, 2015.
15. Knoedler DW. Telepsychiatry: first week in the trenches. *Psychiatric Times*. <http://www.psychiatristimes.com/blogs/couch-crisis/telepsychiatry-first-week-trenches>. Published January 22, 2014. Accessed February 15, 2015.
16. Secure Telehealth. Medicaid reimburses for telehealth in 41 states. <http://www.securetelehealth.com/medicaid-reimbursement.html>. Updated January 15, 2015. Accessed February 10, 2015.
17. Federation of State Medical Boards. Telemedicine overview: Board-by-Board approach. http://library.fsb.org/pdf/grpol_telemedicine_licensure.pdf. Updated June 2013. Accessed February 10, 2015.
18. Joint Commission Perspectives. Accepted: final revisions to telemedicine standards. http://www.jointcommission.org/assets/1/6/Revisions_telemedicine_standards.pdf. Published January 2012. Accessed February 10, 2015.
19. Hyler SE, Gangure DP. Legal and ethical challenges in telepsychiatry. *J Psychiatr Pract*. 2004;10(4):272-276.
20. Kornbluh RA. Staying true to the mission: adapting telepsychiatry to a new environment. *CNS Spectr*. 2014;19(6):482-483.