DSH CARDIO-PULMONARY RESUSCITATION PRECAUTIONS FOR COVID-19 PATIENTS



Approved by the Executive Team on 6/17/20

- 1. If a Cardio-Pulmonary event requiring resuscitation occurs for a COVID-19 patient or a Patient Under Investigation (PUI), there are specific precautions that need to be taken to prevent the spread of the COVID-19 virus:
 - Follow latest accredited resuscitation guidelines (CPR/ACLS).
 - The number of HCP responding to the medical emergency should be limited to the least number necessary to perform adequate resuscitation.
 - All HCP responding must wear all recommended PPE to assure maximal protection including N95 respirator or higher protection, face shield or goggles, gowns, gloves and shoe coverings as indicated.
 - Replacement PPE must be available immediately if needed.
 - One assigned HCP assures that all responders are wearing the required PPE.
 - Extreme precautions must be followed for aerosol-generating procedures such as intubation, tracheal suctioning and AMBU bag ventilation.
 - Single-use AMBU Bags with HEPA filter are recommended when available.
- 2. After a patient is transferred to the 911 emergency response team:
 - Dispose of, or clean, all equipment (including PPE) used during resuscitation following the manufacturer's recommendations and local guidelines.
 - All work surfaces and bedding that were involved during the resuscitation will also need to be cleaned according to local guidelines.